

| | | |
|--|--|---------------------------|
|  | | Page: 1 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

SECTION 1. IDENTIFICATION

Product identifier

Trade name : LEISURE TIME JET CLEAN

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Water treatment chemical

| | |
|---|--|
| <p>Details of the supplier of the safety data sheet Innovative Water Care, LLC D/B/A Leisure Time 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America (USA)</p> <p>EHSProductSafetyTeam@solenis.com</p> | <p>Emergency telephone number 1-800-654-6911 (Outside the USA:1-423-780-2970)</p> <p>Product Information 1-800-511-6737 (Outside the USA:1-423-780-2347)</p> |
|---|--|

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

GHS label elements

Signal word : Warning

Hazard statements : H227 Combustible liquid.

Precautionary statements :

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

| | | |
|--|--|---------------------------|
|  | | Page: 2 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|-------------------------------------|------------|--------------------|-------------------|
| Dipropylene glycol monomethyl ether | 34590-94-8 | Flam. Liq. 4; H227 | >= 1.5 - < 5 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.

- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

- In case of skin contact : If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
If on clothes, remove clothes.

- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)

- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

| | | |
|--|--|---------------------------|
|  | | Page: 3 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO2)
Hydrocarbons
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapours/mists with a water spray jet.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No sparking tools should be used.
Keep away from open flames, hot surfaces and sources of

| | | |
|--|--|---------------------------|
|  | | Page: 4 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

ignition.

Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

- Advice on safe handling : Avoid formation of aerosol.
Provide sufficient air exchange and/or exhaust in work rooms. Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------------------------|------------|-------------------------------|--|-----------|
| Dipropylene glycol monomethyl ether | 34590-94-8 | TWA | 100 ppm 600 mg/m3 | NIOSH REL |
| | | ST | 150 ppm 900 mg/m3 | NIOSH REL |
| | | TWA | 100 ppm 600 mg/m3 | OSHA Z-1 |
| | | STEL | 150 ppm 900 mg/m3 | OSHA P0 |
| | | TWA | 100 ppm 600 mg/m3 | OSHA P0 |

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

| | | |
|--|--|---------------------------|
|  | | Page: 5 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : 10.2

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : 181 °F / 83 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

| | | |
|--|--|---------------------------|
|  | | Page: 6 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.005 (68 °F / 20 °C)

Density : No data available

Solubility(ies)
 Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
 Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Do not allow evaporation to dryness.
 Heat, flames and sparks.
 Exposure to air.

Heat, flames and sparks.

Incompatible materials : Acids
 salts of strong bases
 strong bases
 Strong oxidizing agents

Hazardous decomposition products : Carbon monoxide
 Carbon dioxide (CO₂)
 Hydrocarbons
 Aldehydes

| | | |
|--|--|---------------------------|
|  | | Page: 7 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Ketones

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

Dipropylene glycol monomethyl ether:

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC 50 (Rat, female): > 275 ppm
Exposure time: 7 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Dipropylene glycol monomethyl ether:

- Result : Not irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

- Remarks : Unlikely to cause eye irritation or injury.

Components:

Dipropylene glycol monomethyl ether:

- Result : Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

| | | |
|--|--|---------------------------|
|  | | Page: 8 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

Dipropylene glycol monomethyl ether:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10,000 mg/l
 Exposure time: 96 h
 Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 1,919 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 969 mg/l
 Exposure time: 72 h

| | | |
|--|--|---------------------------|
|  | | Page: 9 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

Test Type: Growth inhibition

Persistence and degradability

Components:

Dipropylene glycol monomethyl ether:

Biodegradability : Biodegradation: 75 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Chemical Oxygen Demand (COD) : 2.02 mg/g

ThOD : 2.06 mg/g

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

| | | |
|--|--|---------------------------|
|  | | Page: 10 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

| | |
|-------------------------------------|------------|
| Dipropylene glycol monomethyl ether | 34590-94-8 |
| trisodium nitrilotriacetate | 5064-31-3 |

Pennsylvania Right To Know

| | |
|-------------------------------------|------------|
| WATER | 7732-18-5 |
| Dipropylene glycol monomethyl ether | 34590-94-8 |
| sodium hydroxide | 1310-73-2 |
| SODIUM SULFATE | 7757-82-6 |

New Jersey Right To Know

| | |
|-------------------------------------|------------|
| WATER | 7732-18-5 |
| Dipropylene glycol monomethyl ether | 34590-94-8 |

California Prop. 65

| | | |
|--|--|---------------------------|
|  | | Page: 11 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TCSI : Not in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory
- DSL : This product contains one or more components that are not on the Canadian DSL and have annual quantity limits.
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : Not in compliance with the inventory
- IECSC : Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 11/03/2022

Full text of H-Statements

H227 : Combustible liquid.

Full text of other abbreviations

- Flam. Liq. : Flammable liquids
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
- OSHA P0 / TWA : 8-hour time weighted average
- OSHA P0 / STEL : Short-term exposure limit
- OSHA Z-1 / TWA : 8-hour time weighted average

| | | |
|--|--|---------------------------|
|  | | Page: 12 |
| SAFETY DATA SHEET | | Revision Date: 11/03/2022 |
| | | Print Date: 12/05/2024 |
| | | SDS Number: R1600942 |
| LEISURE TIME JET CLEAN | | Version: 1.1 |
| 210731 | | |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN